



Release Notes – Video Insight 7.9.6 Maintenance Release

OVERVIEW

This document contains information regarding our latest development update with Video Insight 7.9.6. Review the improvements below and check with your system administrator for upgrade details.

NOTE) PRIOR TO UPDATING users who bought i-PRO BWC cameras for the use with VI before AUG 2023, please contact your SE team or Support representative, and have your VI Server Serial Number ready, BWC site Activation License will be provided.

VI MonitorPlus: Recommended System Requirements

IP Server Version	VI MonitorPlus requires IP Server 7.0 or higher. VI Monitor users can connect to an upgraded server. VI Monitor is compatible with Version 7.0 Server, but i-PRO recommends using VI MonitorPlus.
Operating System(s)	Windows 10 Professional, Windows 11 Professional
Processor/CPU	6th Generation or better Intel Core processor (3.1 GHz quad-core+)
Memory	16GB (8GB minimum)
Network	1 Gb/s+
Screen Resolution	1920 X 1080



VI MonitorPlus & IP Server

- New user-friendly timeline with millisecond level support
- 5 View support for i-PRO Multi-directional + PTZ camera and WV-VCF41P Panoramic front camera
- Enhanced video display quality
- Windows Background Intelligent Transfer Service (BITS) support for file manipulation rules for optimizing the file transfer performance
- Introducing new BWC integration license
- Ability to display associated speaker information

Device integration

- New i-PRO S Series (Secure Element Models) and U Series (Audio support) integration
- WV-VCF41P Panoramic front camera integration (available only for US)
- TLS 1.2 / 1.3 and new pre-installed certificate support for i-PRO cameras
- Support receiving customizable event type via ONVIF metadata streaming
- New 3rd vendors device integration (Advantech, Axis, Hanwha)

VI IP Server Manager

- Renewal GUI with modern design
- Improve offline activation by using QR code
- Display activated license detail

VI Web Client 7

- Improve H.265 decoding performance by utilizing browser native decoder
- Beta release Audio function of Live and Playback (Disable by default)
- 5 View support
- Vulnerability addressed for old Web Client

VI Video WallPlus

- 5 View support

Transit solution

- Ignition ON / OFF Rule triggering
- Improve bus management features (Reanme / remove bus)
- File transfer performance & reliability improvements

New Camera Integrations

Manufacturer	Model	Firmware Version	Features Supported													Notes									
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	Web Client JPEG	Focus	Flip	Set Framerate	Set Compression	Set Resolution	Set Codec	Show Clock	Motion Detection	Audio out	Audio in
Hanwha	ANV-L7012R, ANO-L7012R, ANO-L7022R	1.41.00		-	-	-	-	-	-	-	Y	-	-	-	-	-	-	-	-	-	Supported VCA • Defocus detection • Motion detection • Enter/Exit • Tampering • Virtual line				
Hanwha	PNM-12082RVD PNM-7082RVD	2.21.00		-	-	-	-	-	-	-	Y	-	-	-	-	-	-	-	-	-	Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing				
Hanwha	PNM-9022V	2.01.01		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus detection • Motion detection • Appear/Disappear • Enter/Exit • Tampering • Virtual line • Audio detection				

Manufacturer	Model	Firmware Version	Features Supported														Notes															
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	Web Client JPEG	Focus	Flip	Set Framerate	Set Compression	Set Resolution	Set Codec	Show Clock	Motion Detection	Audio out	Audio in	Dual Streaming	H.265	H.264	MJPEG			
Hanwha	PNM-C12083RVD (Multi sensor)	2.21.00		Y	Y	Y	Y	-	-	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing	
Hanwha	PNM-C7083RVD	2.21.00		Y	Y	Y	Y	-	-	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing
Hanwha	SPE-420 (Encoder)	2.11.03		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Tampering

Manufacturer	Model	Firmware Version	Features Supported													Notes																
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	Web Client JPEG	Focus	Flip	Set Framerate	Set Compression	Set Resolution	Set Codec	Show Clock	Motion Detection	Audio out	Audio in	Dual Streaming	H.265	H.264	MJPEG			
Hanwha	TNV-7010RC TNV-7011RC	1.40.03		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing		
Hanwha	TNV-8011C	2.01.01		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus detection • Motion detection • Appear/Disappear • Enter/Exit • Tampering • Virtual line • Audio detection	
Hanwha	XND-C9083RV XNV-C8083R XND-C8083RV XNO-C8083R XNV-C9083R XNO-C9083R	2.11.01		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Supported VCA • Defocus detection • Motion detection • Appear/Disappear • Enter/Exit • Tampering • Virtual line • Audio detection

Manufacturer	Model	Firmware Version	Features Supported											Notes													
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	Web Client JPEG	Focus	Flip	Set Framerate	Set Codec	Set Resolution	Show Clock	Motion Detection	Audio in	Audio out	Audio in	Dual Streaming	H.265
Hanwha	XNO-6123R, XNV-6123R	2.11.01		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	-	-	-	-		Supported VCA	• Defocus detection	• Motion detection	• Appear/Disappear	• Enter/Exit	• Tampering	• Virtual line	• Audio detection
Hanwha	XNZ-6320A	XNZ-L6320A		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	-	-	-	-		Supported VCA	• Defocus detection	• Motion detection	• Appear/Disappear	• Enter/Exit	• Tampering	• Virtual line	• Audio detection
Hanwha	XNZ-L6320A	XNZ-L6320A		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	-	-	-	-		Supported VCA	• Defocus detection	• Motion detection	• Appear/Disappear	• Enter/Exit	• Tampering	• Virtual line	• Audio detection

Manufacturer	Model	Firmware Version	Features Supported														Notes								
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	Web Client JPEG	Focus	Flip	Set Framerate	Set Compression	Set Resolution	Set Codec	Show Clock	Motion Detection	Audio in	Audio out
Hanwha	ANV-L6012R ANO-L6012R ANO-L6022R	1.41.00_20220527_R6	Y Y Y Y - Y Y Y Y Y Y Y Y								Y	-	-	-	-			Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing							
	ANE-L6012R ANO-L6082R ANV-L6082R	1.41.01_20220526_R51	Y Y Y Y - Y Y Y Y Y Y Y Y								Y	-	-	-	-			Supported VCA • Defocus • Loitering • Enter/Exit • Tampering • Crossing							
	ANE-L7012R ANO-L7082R ANV-L7082R	1.41.00_20220414_R35	Y Y Y Y - Y Y Y Y Y Y Y Y								Y	-	-	-	-			Supported VCA • Defocus • Intruding • Enter/Exit • Tampering • Crossing							

Manufacturer	Model	Firmware Version	Features Supported											Notes	
				Edge Recording	Bundle License	Dewarp	Draw & Zoom	PTZ Preset	PTZ	Draw Object	VCA	Alarm OUT	Alarm IN	Auto-Discovery	
Hanwha	PNM-9084QZ1 PNM-9084RQZ1 PNM-9085RQZ1	1.31.02	Y Y Y Y Y Y Y Y Y Y Y Y Y Y												Supported VCA <ul style="list-style-type: none"> Defocus detection Motion detection Appear/Disappear Enter/Exit Tampering Virtual line Audio detection

New Device Integration

Manufacturer	Model	Firmware Version	Features Supported
AXIS	A8207-VE Mk II Network Video Door Station	11.1.72	MJPEG (RTP over RTSP, RTP with RTSP(UDP), over HTTP) H.264 (RTP over RTSP, RTP with RTSP(UDP), over HTTP) Dual Streaming Audio in Audio out (Two way audio) Motion Detection Show Clock Set Codec Set Resolution Set Compression Set Framerate Web Client JPEG Auto-Discovery Alarm IN (Including push button alarm) Alarm OUT VCA Door open icon support
Advantech	ADAM 6052	6.11 B26	Auto-Discovery Alarm IN Alarm OUT